

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18643	"708"/\$.ccls. and @ad<"20010918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:18
L2	94	1 and reconfigurable and (multiplexer\$1 or selector\$1 or multiplexor\$1) and multiplier\$1 and adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:04
L3	2	"6618434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:25
L4	28	("4852035" "5363408" "5367476" "5381357" "5398073" "5483529" "5493343" "5506636" "5550596").PN. OR ("5642382").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/07 12:43
L5	30	("3748451" "4493048" "4937774").PN. OR ("5195050"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/07 12:58
L6	471	@ad<"20010918" and reconfigurable and (multiplexer\$1 or selector\$1 or multiplexor\$1) and multiplier\$1 and adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:04
L7	435	6 and mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:04
L8	156	6 and (mode\$1.ti. or mode\$1.clm. or mode\$1.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:04
L9	44	8 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:04

L10	156	reconfigurable and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:05
L11	59	(reconfigurable.ti. or reconfigurable.clm. or reconfigurable.ab.) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:09
L12	8	11 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:05
L13	51	11 not 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:09
S1	2	"5311459".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 19:37
S2	25	("3748451" "4493048" "4891689" "4937774" "5001663" "5151953" "5195050").PN. OR ("5311459").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:13
S3	21310	"708"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:13
S4	235	reconfigurable and S3	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:13
S5	154	S4 and multiplexer\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:13
S6	125	S5 and (multiplication or multiplier\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:14
S7	63	S6 and pixel\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:14

S8	57	S7 and @ad<"20010920"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:19
S9	68	S6 not S8	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:19
S10	42	S9 and @ad<"20010920"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 20:19
S11	30	("3748451" "4493048" "4937774").PN. OR ("5195050").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:33
S12	21310	"708"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:33
S13	842	(mux or multiplexer\$1) and mode\$1 and (reconfigurable or (re adj configurable)) and (add\$3 or addition) and (multiplier\$1 or multiplication)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:35
S14	289	(mode\$1.ti. or mode\$1.clm. or mode\$1.ab.) and S13	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:35
S15	230	S14 and @ad<"20010918"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 11:07
S16	50	reconfigurable.clm. and S15	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:40
S17	180	S15 not S16	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:40
S18	28	("4852035" "5363408" "5367476" "5381357" "5398073" "5483529" "5493343" "5506636" "5550596").PN. OR ("5642382").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:58
S19	11	((("4811210") or ("6438569") or ("8449630") or ("9675187") or ("6227863") or ("6311459") or ("6661833"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 09:59
S20	5	(reconfigurable and mode\$1).ab. and "708"/\$.ccls. and (multiplier\$1 or multiplication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:07